



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/584,172	03/21/2007	Hirotochi Adachi	MUR-047-USA-PCT	4754
27955	7590	09/02/2010		
TOWNSEND & BANTA c/o PORTFOLIO IP PO BOX 52050 MINNEAPOLIS, MN 55402			EXAMINER GHALI, ISIS A D	
			ART UNIT	PAPER NUMBER
			1611	
			MAIL DATE	DELIVERY MODE
			09/02/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/584,172	Applicant(s) ADACHI ET AL.	
	Examiner Isis A. Ghali	Art Unit 1611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☐ Claim(s) ____ is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☒ Claim(s) 1-23 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date ____. | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Claims 1-23 are pending.

Election/Restrictions

1. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

Species A, claim(s) 1-3, 9-14, 17-23, drawn to a patch activated in use comprising: an **absorber containing a dry drug** and formed of a material capable of absorbing a liquid; a **wall material arranged around the absorber** and having an **adhesive layer on the lower surface** thereof; a **support arranged on the absorber and the wall material** and having an opening at the center; a **diaphragm arranged on the support**; and a dissolution liquid reservoir arranged on the diaphragm, holding a dissolution liquid dissolving the drug in a space with the diaphragm, and having a protruding portion which breaks the diaphragm by pressure.

Species B, claim(s) 4 and 5, drawn to a patch activated in use comprising: a **drug containing layer containing a dry drug**; an **absorber arranged on the drug containing layer** and formed of a material capable of absorbing a liquid; a **wall material arranged around the absorber** and having an **adhesive layer on the lower surface** thereof; a **support arranged on the absorber and the wall material** and having an opening at the center; a **diaphragm arranged on the support**; and a dissolution liquid reservoir arranged on the diaphragm, holding a dissolution liquid dissolving the drug in a space with the diaphragm, and having a protruding portion which breaks the diaphragm by pressure.

Species C, claim(s) 6, 7, 15, 16, drawn to a patch activated in use comprising: a support; an **absorber arranged on the support, containing a dry drug**, and formed of a material capable of absorbing a liquid; a **wall material arranged on the support and around the absorber**, and having an **adhesive layer on the upper surface thereof**; a **liner arranged on the absorber** and the adhesive layer and having an opening at the

Art Unit: 1611

center; a **diaphragm arranged on the liner**; and a dissolution liquid reservoir arranged on the diaphragm, holding a dissolution liquid dissolving the drug in a space with the diaphragm, and having a protruding portion which breaks the diaphragm by pressure.

Species D, claim(s) 8, drawn to a patch activated in use comprising: a support; an **absorber arranged on the support** and formed of a material capable of absorbing a liquid; a **wall material arranged on the support** and around the absorber, and having an **adhesive layer on the upper surface** thereof; **a drug containing layer arranged on the absorber and containing a dry drug**; a **liner arranged on the drug containing layer** and the adhesive layer, and having an opening at the center; a **diaphragm arranged on the liner**; and a dissolution liquid reservoir arranged on the diaphragm, holding a dissolution liquid dissolving the drug in a space with the diaphragm, and having a protruding portion which breaks the diaphragm by pressure.

The structure of the patch of each species is different from the others. The arrangement of the layers in relation to each other is different, and the prior art that anticipate one species may not anticipate the other.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise require all the limitations of an allowed generic claim. Currently, the following claim(s) are generic: 1, 4, 6 and 8.

Art Unit: 1611

2. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

Species A, sheet material contains a cyclic polyolefin copolymer film.

Species B, sheet material is a laminate film of a cyclic polyolefin copolymer film and a polyolefin film.

Species C, sheet material includes a fluorocarbon resin film.

Species D, sheet material is a laminate film of a fluorocarbon resin film and a polyolefin film.

The material of the sheet are distinct from each other, and the prior art that anticipates one species may not anticipate the others.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise require all the limitations of an allowed generic claim. Currently, the following claim(s) are generic: 1.

3. REQUIREMENT FOR UNITY OF INVENTION

As provided in 37 CFR 1.475(a), a national stage application shall relate to one invention only or to a group of inventions so linked as to form a single general inventive

Art Unit: 1611

concept (“requirement of unity of invention”). Where a group of inventions is claimed in a national stage application, the requirement of unity of invention shall be fulfilled only when there is a technical relationship among those inventions involving one or more of the same or corresponding special technical features. The expression “special technical features” shall mean those technical features that define a contribution which each of the claimed inventions, considered as a whole, makes over the prior art.

The determination whether a group of inventions is so linked as to form a single general inventive concept shall be made without regard to whether the inventions are claimed in separate claims or as alternatives within a single claim. See 37 CFR 1.475(e).

WHEN CLAIMS ARE DIRECTED TO MULTIPLE CATEGORIES OF INVENTIONS

As provided in 37 CFR 1.475(b), a national stage application containing claims to different categories of invention will be considered to have unity of invention if the claims are drawn only to one of the following combinations of categories:

- (1) A product and a process specially adapted for the manufacture of said product; or
- (2) A product and process of use of said product; or
- (3) A product, a process specially adapted for the manufacture of the said product, and a use of the said product; or

(4) A process and an apparatus or means specifically designed for carrying out the said process; or

(5) A product, a process specially adapted for the manufacture of the said product, and an apparatus or means specifically designed for carrying out the said process.

Otherwise, unity of invention might not be present. See 37 CFR 1.475(c).

4. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Isis A. Ghali whose telephone number is (571) 272-0595. The examiner can normally be reached on Monday-Thursday, 6:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sharmila Landau can be reached on (571) 272-0614. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Isis A Ghali/
Primary Examiner, Art Unit 1611

IG